


Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Mar 1 2011




Degree-days (50° F lower threshold)

- 0-230 pre-egg laying activity
- 231-500 egg laying by OW females
- 501-995 1st gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE

Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Apr 1 2011




Degree-days (50° F lower threshold)

- 0-230 pre-egg-laying activity
- 231-500 egg-laying by OW females
- 501-995 1st gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE


Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - May 1 2011



- Degree-days (50° F lower threshold)**
- 0-230 pre-egg-laying activity
 - 231-500 egg-laying by OW females
 - 501-995 1st gen. emergence
 - 996-1490 2nd gen. emergence
 - 1491-1985 3rd gen. emergence

**Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE**


Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Jun 1 2011



- Degree-days (50° F lower threshold)**
- 0-230 pre-egg-laying activity
 - 231-500 egg-laying by OW females
 - 501-995 1st gen. emergence
 - 996-1490 2nd gen. emergence
 - 1491-1985 3rd gen. emergence

**Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE**


Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Jul 1 2011



- Degree-days (50° F lower threshold)**
- 0-230 pre-egg-laying activity
 - 231-500 egg-laying by OW females
 - 501-995 1st gen. emergence
 - 996-1490 2nd gen. emergence
 - 1491-1985 3rd gen. emergence

**Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE**

Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Aug 1 2011




Degree-days (50° F lower threshold)

- 0-230 pre-egg-laying activity
- 231-500 egg-laying by OW females
- 501-995 1st gen. emergence
- 996-1490 2nd gen. emergence
- 1491-1985 3rd gen. emergence
- 1986-2480 4th gen. emergence
- 2481-2975 5th gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE

Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Sep 1 2011




Degree-days (50° F lower threshold)

- 0-230 pre-egg-laying activity
- 231-500 egg-laying by OW females
- 501-995 1st gen. emergence
- 996-1490 2nd gen. emergence
- 1491-1985 3rd gen. emergence
- 1986-2480 4th gen. emergence
- 2481-2975 5th gen. emergence
- 2976-3470 6th gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE

Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Oct 1 2011




Degree-days (50° F lower threshold)

0-230	pre-egg-laying activity
231-500	egg-laying by OW females
501-995	1st gen. emergence
996-1490	2nd gen. emergence
1491-1985	3rd gen. emergence
1986-2480	4th gen. emergence
2481-2975	5th gen. emergence
2976-3470	6th gen. emergence
3471-3965	7th gen. emergence
3966-4460	8th gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE

Spotted Wing Drosophila Estimated Phenology NW States Jan 1 - Nov 1 2011



Degree-days (50° F lower threshold)

0-230	pre-egg laying activity
231-500	egg laying by OW females
501-995	1st gen. emergence
996-1490	2nd gen. emergence
1491-1985	3rd gen. emergence
1986-2480	4th gen. emergence
2481-2975	5th gen. emergence
2976-3470	6th gen. emergence
3471-3965	7th gen. emergence
3966-4460	8th gen. emergence
4461-4955	9th gen. emergence
4956-5450	10th gen. emergence

Degree-day model developed at OSU
IPPC uspest.org/wea in collaboration
with Western Specialty Crops PIPE